

RECON

A tough performer



handheld

www.handheld-us.com

RECON

A tough performer

The Recon X-Series delivers maximum performance and reliability in a lightweight and extremely rugged design. The Recon weighs just 17 ounces and exceeds rigorous military standard for drops, dust, vibration, humidity and altitude. With its IP67 rating it is dustproof, waterproof and operates in extreme temperatures from -22 °F to 140 °F.

With optional integrated Bluetooth, the Recon can easily connect to peripheral devices. 802.11g wireless can give you access to local area networks, e-mail and the Internet. The Recon features a built-in microphone, speaker and transfective color display with touchscreen that works even in direct sunlight or low light conditions. Two protected CompactFlash slots support accessories such as GPS, RFID, barcode scanners and other devices, all with the IP67 rating intact.

The Recon features a high-performance 200 MHz or 400 MHz Intel XScale processor and 64 MB of RAM. To protect data from resets or power loss the Recon offers high-performance persistent NAND Flash storage, from 128 MB to 256 MB. Microsoft's versatile Windows Mobile 6 operating system runs all the applications you use most, including calendar, e-mail and Mobile versions of Word, Excel and PowerPoint.

The PowerBoot module integrates a 4000 mAh battery pack with industry standard 9-pin serial and USB ports into a single component, easily replaceable in field. The Recon's innovative modular design saves time and money and provides customization options to suit your specific applications.

www.ultrarugged.com

Size	6.50" (16.5 cm) x 3.75" (9.5 cm) x 1.75" (4.5 cm)
Weight	17 ounces (490 g) including power boot module
Environment	
<i>Operating:</i>	-22 °F to 140 °F (-30 °C to 60 °C)
<i>Storage:</i>	-40 °F to 158 °F (-40 °C to 70 °C)
<i>Drop:</i>	MIL-STD-810F, Method 516.5, Procedure IV 26 drops from 4 ft. 6 additional drops at -22 °F (-30 °C) 6 additional drops at 140 °F (60 °C)
<i>Sand & Dust:</i>	IP67, MIL-STD-810F, Method 510.4, Procedure I
<i>Water:</i>	IP67 Sealed against accidental immersion (3 ft/1 m for 30 min) MIL-STD-810F, Method 512.4, Procedure I
<i>Humidity:</i>	MIL-STD-810F, Method 507.4
<i>Altitude:</i>	15,000 ft (4572 m) at 73 °F (23 °C), MIL-STD-810F, Method 500.4, Procedures I, II and III
<i>Vibration:</i>	MIL-STD-810F, Method 514.5 Procedures I, Figures 17 and 18
Processor/memory	Intel PXA 255 Xscale CPU, 200 MHz (Recon 200X) 400 MHz (Recon 400X), 64 MB high-speed SDRAM ~22 MB reserved for OS
Data Storage	Onboard non-volatile NAND Flash 128 MB (200X), 256 MB (400X), ~31 MB reserved for OS
Operating System	Microsoft Windows Mobile 6 (Premium edition)
Screen	240 x 320 pixel (1/4 VGA) colour TFT with LED front light
Keyboard	10 keys, on-screen QWERTY soft keypad
Battery	4000 mAh NiMH rechargeable pack, allowing for 12-30h operating time depending on usage
Connections	1 x Standard 9-pin (male) D-shell RS-232 serial, 1 x USB 1.1 port client 1 x 5V Charging, 2 x CF-Card slots; one type I and one type II slot
Communication	WLAN: Integrated 802.11g* PAN: Integrated Bluetooth* Integrated speaker & microphone *Optional
Options	<ul style="list-style-type: none">• 12V Vehicle charger• Vehicle Cradle• Bluetooth CF-Card • WLAN CF-Card• GPS CF-Card• RFID Kit 13.56 MHz • RFID Kit 125 kHz• Fingerprint reader • Barcode Imager kit• CF-Caps • Pole brackets • Desktop Cradle• Powerboot module for AA batteries• Carrying Cases • Belt Carrier

HHCS Handheld USA, Inc. (Handheld US) is a North American supplier of rugged PDAs and handheld computers. Handheld US and its partners deliver complete mobility solutions to businesses in industries such as logistics, forestry, public transportation, construction, military, and security. Handheld US is a subsidiary of HHCS Handheld Computer Specialists AB in Sweden.

handheld

HHCS Handheld USA, Inc. • 456 SW Monroe Ave.
Suite 106, Corvallis, OR 97333
Telephone: (541) 752-0313 • Fax: (541) 752-0338
info@handheld-us.com
www.handheld-us.com